

7	1	((database\$3 and (contributor\$3 near5 (record\$4 information data))) and ((user\$3 near3 profile\$3) and (contributor\$4 near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3) and (match\$4 near5 scor\$4)) and ((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((search\$3 quer\$3) near10 user\$1 near5 profile\$4))) and ((database\$3 and (contributor\$3 near5 (record\$4 information data))) and ((user\$3 near3 profile\$3) and (contributor\$4 near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3) and (match\$4 near5 scor\$4)) and ((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((search\$3 quer\$3) near5 user\$1 near5 profile\$4))) and (((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((user\$2 near3 profile\$3) near5 quer\$3) and (match\$4 near5 scor\$4)) and ((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((search\$3 quer\$3) near10 user\$1 near5 profile\$4))) and ((database\$3 and (contributor\$3 near5 (record\$4 information data))) and ((user\$3 near3 profile\$3) and (contributor\$4 near4 profile\$1)) and ((user\$2 near3 profile\$3) and (contributor\$4 near4 profile\$1)) and ((user\$2 near3 profile\$3) and (contributor\$4 near4 profile\$1)) and ((user\$2 near3 profile\$3) near5 quer\$3) and (match\$4 near5 scor\$4)) and ((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((user\$3 near5 profile\$3) near5 quer\$3) and (match\$4 near5 scor\$4)) and ((database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((user\$3 near5 profile\$3) near5 quer\$3) near5 profile\$3) and ((database\$2 and (contributor\$3 near5 profile\$3) and (contributor\$4 near5 profile\$3) and (match\$4 near5 profile\$4)) and ((database\$2 and (contributor\$3 near5 profile\$3) and (contributor\$3 near5 profile\$4))) and ((atabase\$2 and (contributor\$3 near5 profile\$3)) and ((atabase\$2 and (contributor\$3 near5 profile\$3)) and ((atabase\$2 and (contributor\$3 near5 profile\$4))) and ((atabase\$2 and (contributor\$3 near5 profile\$4))) and ((atabase\$2 and (contributor\$3 near5 profile\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:52
	201192	((search\$3 quer\$3) near10 user\$1 near5 profile\$4))))) database\$2	USPAT;	2003/10/21 09:58
	201132	ualabase#2	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 09.56
-	193	database\$2 and (contributor\$3 near5 (record\$4 information data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:43
-	10	(database\$2 and (contributor\$3 near5 (record\$4 information data))) and ((search\$3 quer\$3) near10 user\$1 near5 profile\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:43
-	0	6351747.pn. and (quer\$3search\$3 near10 (keyword\$1 title\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/21 10:14
-	1	6351747.pn. and ((quer\$3 search\$3) near10 (keyword\$1 title\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 10:15
-	1	6351747.pn. and ((quer\$3 search\$3) near10 (profile\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 10:44
-	1	6351747.pn. and (contribut\$4 near10 (profile\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/21 11:20
-	12631	user\$1 near3 profile\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/21 14:07

-	6	(user\$1 near3 profile\$3) and (contributor\$4 near4 profile\$1)	USPAT; US-PGPUB;	2004/07/22 13:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
ļ -	6	(user\$1 near3 profile\$3) and ((user\$1 near3 profile\$3) and	USPAT;	2003/10/21 11:22
		(contributor\$4 near4 profile\$1))	US-PGPUB;	
			EPO; JPO; DERWENT;	
	-		IBM TDB	
-	О .	user\$1 near3 profile\$3 near5 qur\$3	USPAT;	2003/10/21 14:08
		, · · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	440		IBM_TDB	
-	419	user\$1 near3 profile\$3 near5 quer\$3	USPAT;	2003/10/21 14:12
			US-PGPUB; EPO; JPO;	
		·	DERWENT:	
			IBM_TDB	
-	18	(user\$1 near3 profile\$3 near5 quer\$3) and (match\$4 near5	USPAT;	2004/07/22 13:43
		scor\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	6	first neart yearth near a profilett near avert	IBM_TDB	00004004 44.40
-	•	first near4 user\$1 near3 profile\$3 near5 quer\$3	USPAT; US-PGPUB;	2003/10/21 14:12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3578	user\$1 near4 profile\$1 near5 (record\$3 data)	USPAT;	2003/10/28 14:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7106	user\$1 near4 content\$1 near5 (record\$3 data)	IBM_TDB USPAT;	2003/10/28 14:27
	,,,,,	doctor fical + contentor fical o (recordo data)	US-PGPUB;	2003/10/20 14.2/
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	(contributo\$4) near4 content\$1 near5 (record\$3 data)	USPAT;	2003/10/28 14:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	4	(user\$1 near4 profile\$1 near5 (record\$3 data)) and (user\$1	USPAT;	2003/10/28 14:29
		near4 content\$1 near5 (record\$3 data)) and ((transfer\$4	US-PGPUB;	
		transmit\$4) near5 schema\$4)	EPO; JPO;	
			DERWENT;	
		(coordeft guarft?) moorf masti- 4ft	IBM_TDB	000040604465
-	0	(search\$4 quer\$3) near5 profile4\$	USPAT;	2003/10/28 14:30
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3027	(search\$4 quer\$3) near5 profile\$4	USPAT;	2003/10/28 14:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1084	 (search\$4 quer\$3) near5 (user\$4 contribut\$4) near6 profile\$4	IBM_TDB USPAT;	2002/40/20 44:22
	1004	(searcher queres) hears (userer continuiter) hears profile\$4	US-PGPUB;	2003/10/28 14:32
			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	1081	(search\$4 quer\$3) near5 (user\$4) near6 profile\$4	USPAT;	2003/10/28 14:32
İ		(source) (source) from the first promoter	US-PGPUB;	2000/10/20 11/02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	(search\$4 quer\$3) near5 (contribut\$4) near6 profile\$4	USPAT;	2003/10/28 14:34
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	13375	contribut\$4 near5 (content\$3 data information)	USPAT;	2003/10/28 14:35
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
_	100	contribut\$4 near5 profile\$3 near5(content\$3 data information)	USPAT;	2003/10/28 14:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	92	(contribut\$4 near5 (content\$3 data information)) and	USPAT;	2003/10/28 14:35
		(contribut\$4 near5 profile\$3 near5(content\$3 data	US-PGPUB:	
		information))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	((contribut\$4 near5 (content\$3 data information)) and	USPAT:	2003/10/28 14:41
		(contribut\$4 near5 profile\$3 near5(content\$3 data	US-PGPUB;	2000/10/20 14.41
		information))) and (profile\$1 near5 (quer\$3 input search\$1))	EPO; JPO;	
		The state of the s	DERWENT;	
			IBM_TDB	
۱ ـ	10	(quer\$3 search\$4) near4 contribut\$4 near5 profile\$3	USPAT;	2003/10/28 14:44
		(4-5-7-5 Sealest 1) House promotes	US-PGPUB;	2000/10/20 14:44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	924	(quer\$3 search\$4) near4 user\$4 near5 profile\$3	USPAT;	2003/10/28 14:45
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB:	2000/10/20 11/10
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	11	((quer\$3 search\$4) near4 user\$4 near5 profile\$3) same	USPAT;	2003/10/28 14:47
		(contribut\$4)	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	contribut\$4 near5 profile\$3 near5 (search\$4 quer\$4)	USPAT;	2003/10/28 14:49
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	3037	profile\$3 near5 (search\$4 quer\$4)	USPAT;	2003/10/28 14:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	117	((quer\$3 search\$4) near4 user\$4 near5 profile\$3) and	USPAT;	2003/10/28 15:15
		(contribut\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	759	((quer\$3 search\$4) near4 user\$4 near5 profile\$3) and	USPAT;	2003/10/28 15:15
		(provid\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

I Number	Llies	Coords Tout		T:
L Number	Hits 1	Search Text (database\$2 and (contributor\$3 near5 (record\$4 information	DB USPAT;	Time stamp 2004/07/22 13:50
'	'			2004/07/22 13:50
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB;	
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
ا ا	4	((search\$3 quer\$3) near10 user\$1 near5 profile\$4))		
2	1	(database\$3 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:51
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB;	
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
i i		((search\$3 quer\$3) near10 user\$1 near5 profile\$4))		
3	1	(database\$3 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:52
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB;	
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
1		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
1 1		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
		((search\$3 quer\$3) near5 user\$1 near5 profile\$4))	_	
4	1	((database\$2 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:52
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB;	
i		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
		((search\$3 quer\$3) near10 user\$1 near5 profile\$4))) and		
!		((database\$3 and (contributor\$3 near5 (record\$4 information		
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4		
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)		
		and (match\$4 near5 scor\$4)) and ((database\$2 and		
		(contributor\$3 near5 (record\$4 information data))) and		
		((search\$3 quer\$3) near10 user\$1 near5 profile\$4)))		
5	1	((database\$2 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:52
	•	data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB:	2004/01/22 13.32
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
]		((search\$3 quer\$3) near10 user\$1 near5 profile\$4))) and	IDIVI_IDD	
		((database\$3 and (contributor\$3 near5 (record\$4 information		
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4		
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)		
		and (match\$4 near5 scor\$4)) and ((database\$2 and	•	
]	
		(contributor\$3 near5 (record\$4 information data))) and	1	
6	4	((search\$3 quer\$3) near5 user\$1 near5 profile\$4)))	LICDAT.	0004/07/00 40.50
	1	((database\$3 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:52
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB;	
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT;	
		(contributor\$3 near5 (record\$4 information data))) and	IBM_TDB	
		((search\$3 quer\$3) near10 user\$1 near5 profile\$4))) and	1	
		((database\$3 and (contributor\$3 near5 (record\$4 information		
		data))) and ((user\$3 near3 profile\$3) and (contributor\$4	1	
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	1	
		and (match\$4 near5 scor\$4)) and ((database\$2 and		
		(contributor\$3 near5 (record\$4 information data))) and	1	
		((search\$3 quer\$3) near5 user\$1 near5 profile\$4)))	L	





-	14	(database\$1 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:44
		data))) and ((search\$3 quer\$3) near10 user\$1 near5 profile\$4)	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	1	(database\$1 and (contributor\$3 near5 (record\$4 information	USPAT;	2004/07/22 13:49
	İ	data))) and ((user\$3 near3 profile\$3) and (contributor\$4	US-PGPUB:	1
		near4 profile\$1)) and ((user\$2 near3 profile\$3 near5 quer\$3)	EPO; JPO;	
		and (match\$4 near5 scor\$4)) and ((database\$2 and	DERWENT:	1
		(contributor\$3 near5 (record\$4 information data))) and	IBM TDB	
		((search\$3 guer\$3) near10 user\$1 near5 profile\$4))		